

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. (currently amended): An electronic presentation system comprising:

network communication means which transmits a framed packet signal with an overhead including an address code;

a first image and voice display means having its own address code connected to said communication means in which display control and communication control through said communication means are controlled by remote control means; and

a personal computer, having its own address code, provided with a second image and voice display means connected to said communication means and different from said first image and voice display means placed in a position different from the position placing said first image and voice display means, and input means;

wherein said remote control means ~~selects~~ captures the display contents displayed ~~on~~ by said personal computer ~~with~~ on said second image and voice display means to display said ~~selected~~ captured display contents on said first image and voice display means at the same time by communicating through said communication means.

2. (original): The electronic presentation system according to claim 1, wherein said remote control means comprises a remote control transmitter sending a sending signal of a code

corresponding to a depressed button and means for converting said sending signal of said remote control transmitter to a communication signal of said communication means and sending the communication signal;

wherein said personal computer comprises means for converting said sending signal of said remote control transmitter sent through said communication means to a signal equivalent to the output signal of the input means provided in said personal computer, means for selecting the previously created display contents displayed on said second image and voice display means, by said converted signal equivalent to the output signal of said input means, and means for converting a display signal of said selected display contents displayed on said second image and voice display means to a communication signal of said communication means at the same time and sending the communication signal;

wherein said remote control means further comprises means for sending the display signal of said second image and voice display means sent through said communication means to said first image and voice display means.

3. (original): The electronic presentation system according to claim 2, wherein the selection of the previously created display contents displayed on said second image and voice display means, done by the signal equivalent to said converted output signal of said input means is executed by basic software installed in said personal computer and application software operated under said basic software and used to previously create said display contents.

4. (original): The electronic presentation system according to claim 2, wherein said communication means is a wired communication system.

5. (original): The electronic presentation system according to claim 2, wherein said communication means is a wireless communication system.

6. (previously presented): The electronic presentation system according to claim 1, wherein said personal computer provided with a second image and voice display means is remotely connected.

7. (currently amended): An electronic presentation system comprising:

a communications network which transmits a framed packet signal with an overhead including an address code;

a remote control device;

a first image and voice display device having its own address code connected to said communications network in which the display and control functions of the said first image and voice display device are performed by the said remote control device via the said communications network; and

a personal computer, having its own address code, provided with a second image and voice display device and said personal computer is connected to said communications network;

wherein said remote control device ~~selects~~ captures the display contents on said personal computer to be displayed on said first and second image and voice display devices by communicating through said communications network.

8. (previously presented): The electronic presentation system according to claim 7, wherein said personal computer provided with a second image and voice display device is remotely connected.

9. (previously presented): The electronic presentation system according to claim 7, wherein said remote control device comprises a remote control transmitter, remote control signal reception unit connected to said communications network and said personal computer with presentation software connected to said communications network;

wherein said remote control transmitter sends a signal of a code corresponding to a depressed button on said remote control transmitter to said remote control signal reception unit which then transmits said code via said communications network;

wherein said personal computer with presentation software converts said code of said remote control signal reception unit sent through said communications network to a signal equivalent to the output signal of the input device or devices provided in said personal computer, selects the previously created display contents displayed on said second image and voice display device by said converted signal equivalent to the output signal of said input device or devices, converts said selected display contents displayed on said second image and voice display device to a communication signal of said communications network and sends the said communication signal via said communications network to said first image and voice display device.

10. (previously presented): The electronic presentation system according to claim 9, wherein the selection of the previously created display contents displayed on said second image and voice display device done by the signal equivalent to said converted output signal of said

input device or devices is executed by basic software installed in said personal computer and application software operated under said basic software and used to previously create said display contents.

11. (previously presented): The electronic presentation system according to claim 9, wherein said communications network is a wired communication system.

12. (previously presented): The electronic presentation system according to claim 9, wherein said communications network is a wireless communication system.

13. (previously presented): The electronic presentation system of claim 1, wherein said network communication means uses an Ethernet network.

14. (previously presented): The electronic presentation system of claim 7, wherein said communications network is an Ethernet system.